


This document is the property of Nian-Yeong Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Nian-Yeong Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING

REV.	DESCRIPTION	APPROVED BY	DATE	ECN NO.
A	RELEASE	LED	19/12/24*	
B				
C				



1. MATERIAL :
- 1-1. HOUSING : NYLON6+ GF
  - 1-2. CONTACT : BRASS
  - 1-3. SHELL : BRASS
  - 1-4. PLASTIC SHELL : ABS
  - 1-5. SR : TPU
2. FINISH :
- 2-1. CONTACT : SILVER PLATED
  - 2-2. SHELL : NICKEL PLATED
3. ELECTRICAL SPECIFICATION :
- 3-1. RATING:11V AC 1A MAX OR 12V DC 2A MAX.
  - 3-2. INSULATION RESISTANCE: 50M OHM MIN AT 250V DC.
  - 3-3. DIELECTRIC STRENGTH: 250V AC / 1 MINUTE.
4. Environmental :
- 4-1. Operation Temperature : -20 ℃~85℃


MD-03M2-13-11	MD-04M2-28-11	MD-05M2-19-11	MD-06M2-75-11	MD-07M2-16-11	MD-08M2-38-11

DRAWN	LED	APP'D	Ku Chou	UNIT	mm	TOLERANCE			NIAN YEONG ENTERPRISE 年永實業有限公司	TITLE	MiniDin (M) 規格 SR5.0			SHEET 1/3
CHK'D	Emily Suen			SCALE	1:1	.X ±0.20 .XX ±0.10 .XXX ±0.05 .XXXX ±0.03 ANGULA ±1°				PART NO.	SEE TABLE A	DWG NO.	QC11209	VERSION A

## CUSTOMER DRAWING

REV.	DESCRIPTION	APPROVED BY	DATE	ECN NO.
A	RELEASE	LED	19/12/24*	
B				
C				

# ASSEMBLY INSTRUCTION





DRAWN	LED	APP'D	Ku Chou	UNIT	mm	<div>TOLERANCE .x ±0.20 .xx ±0.10 .xxx ±0.05 .xxxx ±0.03 ANGULA ±1°</div> <div></div> <div>NIAN YEONG ENTERPRISE 年永實業有限公司</div>	TITLE	MiniDin (M) 型式 SR5.0			<div>SHEET 23</div>
CHK'D	Emily Suen			SCALE	1:1		<div>PART NO.</div> <div>SEE TABLE A</div>	<div>DWG NO.</div> <div>QC11209</div>	<div>VERSION</div> <div>A</div>		


This document is the property of Nian-Yeong Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Nian-Yeong Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING



REV.	DESCRIPTION	APPROVED BY	DATE	ECN NO.
A	RELEASE	LED	19/12/24*	
B				
C				





3P~8P





SR





SHELL 1



PLASTIC SHELL 1



SHELL 2



PLASTIC SHELL 2

DRAWN	LED	APP'D	Ku Chou	UNIT	mm	TOLERANCE		 NIAN YEONG ENTERPRISE 年永實業有限公司	TITLE	MiniDin (M) 款式 SR5.0			SHEET 3 3
CHK'D	Emily Suen			SCALE	1:1	.x ±0.20 .xx ±0.10 .xxx ±0.05 .xxxx ±0.03 ANGULA ±1°			PART NO.	SEE TABLE A	DWG NO.	QC11209	VERSION A